




JINKAIYAN ABRASIVES

100% COTTON ABRASIVE CLOTH



Abrasive: Aluminum-Oxide
Finished Form: Roll/Sheet
Width: 1400mm
Matrix/Base: J-WT 100% Cotton

Durability: Made from high-quality materials that are designed to be durable and long-lasting.
Consistency: Manufactured to strict quality standards, which ensures that each sheet or roll has consistent abrasive properties.
Flexibility: Flexible and can be easily shaped to fit the contours of the surface being sanded or polished.

Grit Sizes



ABRASIVE CLOTH - XZ330

Abrasive: Zirconia Oxide
Finished Form: Roll/Sheet
Width: 1400mm
Matrix/Base: XA-WT Poly Cotton

Durability: Made with high-quality materials that are designed to withstand heavy use and last longer than other types of abrasive materials.
Consistency: Provides consistent results, ensuring that surfaces are sanded and polished evenly.
Efficiency: Designed to remove material quickly and efficiently, reducing the amount of time and effort required to achieve the desired finish.



Grit Sizes





JINKAIYAN ABRASIVES

ABRASIVE CLOTH - GXK51



Abrasive: Aluminum Oxide

Finished Form: Roll/Belt

Width : 1400mm

Matrix/Base: X-WT Poly Cotton

Versatility: Can be used on a variety of surfaces, including metals, plastics, ceramics, and composites.

Durability: Made with high-quality materials that are designed to withstand heavy use.

Consistency: Provides consistent results, ensuring that surfaces are sanded and polished evenly.

Efficiency: Designed to remove material quickly and efficiently, reducing the amount of time and effort required to achieve the desired finish.

Cost-effective: Cost-effective choice for businesses that need to perform abrasive operations on a regular basis.

Grit Sizes



ABRASIVE CLOTH - TJ113

Abrasive: Aluminum Oxide

Finished Form: Roll/Sheet

Width: 1400mm

Matrix/Base: J-WT Polyester / J-WT 100% Cotton

Versatility: Can be used on a variety of surfaces, including metals, plastics, ceramics, and composites.

Durability: Made with high-quality materials that are designed to withstand heavy use and last longer than other types of abrasive materials.

Consistency: Provides consistent results, ensuring that surfaces are sanded and polished evenly.

Flexibility: Flexible and can be easily shaped to fit the contours of the surface being sanded or polished.

Efficiency: Designed to remove material quickly and efficiently, reducing the amount of time and effort required to achieve the desired finish.



Grit Sizes





JINKAIYAN ABRASIVES

ABRASIVE CLOTH - TJ135



Abrasive: Aluminum oxide

Finished Form: Roll/Sheet

Width: 1400mm

Matrix/Base: JX-WT Poly Cotton

Durability: Made with high-quality materials that are designed to withstand heavy use and last longer than other types of abrasive materials.

Versatility: remove rust and paint from car bodies and other metalsurfaces. also used for grinding and polishing concrete surfaces.

Consistency: Provides consistent results, ensuring that surfaces are sanded and polished evenly.

Flexibility: Flexible and can be easily shaped to fit the contours of the surface being sanded or polished.

Efficiency: Designed to remove material quickly and efficiently, reducing the amount of time and effort required to achieve the desired finish.

Grit Sizes



ABRASIVE CLOTH - TF32

Abrasive: Aluminum Oxide

Finished Form: Roll/Sheet

Width: 1400mm

Matrix/Base: J-WT Polyester


Versatility: Can be used on a variety of surfaces, including metals, plastics, ceramics, and composites.

Durability: Made with high-quality materials that are designed to withstand heavy use and last longer than other types of abrasivematerials.

Consistency: Provides consistent results, ensuring that surfaces are sanded and polished evenly.

Flexibility: Flexible and can be easily shaped to fit the contours of the surface being sanded or polished.

Efficiency: Designed to remove material quickly and efficiently, reducing the amount of time and effort required to achieve the desired finish.




Grit Sizes





JINKAIYAN ABRASIVES

ABRASIVE CLOTH - JC122



Abrasive: Silicon Carbide
Finished Form: Roll/Sheet
Width: 1400mm
Matrix/Base: J-WT Poly Cotton

Durability: Made from high-quality materials that are designed to be durable and long-lasting.
Versatility: Used on a wide range of materials, including wood, metal, plastics, and composites.
Consistency: Manufactured to strict quality standards, which ensures that each sheet or roll has consistent abrasive properties.
Efficiency: Designed to remove material quickly and efficiently, which makes it a great choice for applications where time is a factor.
Cost-effective: Affordable option for sanding and finishing applications, which makes it a cost-effective choice for both DIY enthusiasts and professionals.

Grit Sizes



Abrasive: Heated Aluminum-Oxide
Finished Form: Roll/Sheet
Width: 1400mm
Matrix/Base: J-WT Poly Cotton

Versatility: Can be used on a variety of surfaces, including metals, plastics, ceramics, and composites.
Durability: Made with high-quality materials that are designed to withstand heavy use and last longer than other types of abrasive materials.
Consistency: Provides consistent results, ensuring that surfaces are sanded and polished evenly.
Flexibility: Flexible and can be easily shaped to fit the contours of the surface being sanded or polished.
Efficiency: Designed to remove material quickly and efficiently, reducing the amount of time and effort required to achieve the desired finish.

ABRASIVE CLOTH - ALJ461



Grit Sizes





JINKAIYAN ABRASIVES

NON-WOVEN SCOURING PADS



Specially designed for hardware and stainless steel workpiece.
Smear-resistant non-woven material for clean, smear-proof work surfaces.
Hairline processing and scratch removal of metal/non-ferrous metals, matting, rust removal, etc.
Dirt removal on pottery, basins, matting on printed circuit boards, woodwork painting and matting work, etc.
High heat resistance.

Abrasive	Size mm	Size Inches	Type	Colour	Base
Aluminum Oxide	960mm	37.8"	6448	As Required	Soft Non-Woven Material
Silicon Carbide	960mm	37.8"	6448	As Required	Soft Non-Woven Material
Aluminum Oxide	1100mm	43.3"	6448	As Required	Soft Non-Woven Material
Silicon Carbide	1100mm	43.3"	6448	As Required	Soft Non-Woven Material
Aluminum Oxide	960mm	37.8"	7447 / 7447C	As Required	Soft Non-Woven Material
Silicon Carbide	960mm	37.8"	7447 / 7447C	As Required	Soft Non-Woven Material
Aluminum Oxide	1100mm	43.3"	7447 / 7447C	As Required	Soft Non-Woven Material
Silicon Carbide	1100mm	43.3"	7447 / 7447C	As Required	Soft Non-Woven Material
Aluminum Oxide	960mm	37.8"	7448	As Required	Soft Non-Woven Material
Silicon Carbide	960mm	37.8"	7448	As Required	Soft Non-Woven Material
Aluminum Oxide	1100mm	43.3"	7448	As Required	Soft Non-Woven Material
Silicon Carbide	1100mm	43.3"	7448	As Required	Soft Non-Woven Material
Aluminum Oxide	960mm	37.8"	7521 / 7521C	As Required	Soft Non-Woven Material
Silicon Carbide	960mm	37.8"	7521 / 7521C	As Required	Soft Non-Woven Material
Aluminum Oxide	1100mm	43.3"	7521 / 7521C	As Required	Soft Non-Woven Material
Silicon Carbide	1100mm	43.3"	7521 / 7521C	As Required	Soft Non-Woven Material
Aluminum Oxide	960mm	37.8"	7522	As Required	Soft Non-Woven Material
Silicon Carbide	960mm	37.8"	7522	As Required	Soft Non-Woven Material
Aluminum Oxide	1100mm	43.3"	7522	As Required	Soft Non-Woven Material
Silicon Carbide	1100mm	43.3"	7522	As Required	Soft Non-Woven Material
Aluminum Oxide	960mm	37.8"	8698	As Required	Soft Non-Woven Material
Silicon Carbide	960mm	37.8"	8698	As Required	Soft Non-Woven Material
Aluminum Oxide	1100mm	43.3"	8698	As Required	Soft Non-Woven Material
Silicon Carbide	1100mm	43.3"	8698	As Required	Soft Non-Woven Material

Customized sizes available on request



JINKAIYAN ABRASIVES

NON-WOVEN SCOURING PAD WHEEL



Specially designed for hardware and stainless steel workpiece.
Smear-resistant non-woven material for clean, smear-proof work surfaces.
High heat resistance.

Abrasive Flap	Diameter mm	Height mm	Grit	Shank Length	Base
N/A	25 - 100mm	25 - 30 - 40mm	P60 - P600	40mm	Non-Woven Material
N/A	100 - 115 - 120mm	100mm	P60 - P600	Keyhole	Non-Woven Material

NON-WOVEN INTERLACED FLAP WHEEL

Interleaf wheel have flaps of abrasive cloth for additional grinding performance.
Specially designed for hardware and stainless steel workpiece.
Smear-resistant non-woven material for clean, smear-proof work surfaces.
High heat resistance.



Abrasive Flap	Diameter mm	Height mm	Grit	Shank Length	Base
P60 - P240	25 - 100mm	25 - 30 - 40mm	P60 - P600	40mm	Non-Woven Material
P60 - P240	100 - 115 - 120mm	100mm	P60 - P600	Keyhole	Non-Woven Material